










<p>EasyWeed® </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Lycra®/spandex <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing hot or cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<p>EasyWeed® Extra </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Nylon <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing hot or cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<p>EasyWeed® Electric </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 15 seconds • Peel backing hot or cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>
<p>EasyWeed® Stretch Matte Finish </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Lycra®/spandex <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium-firm pressure for 15 seconds • Peel backing hot or cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<p>EasyWeed® Sub Block </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% polyester • Sublimated polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 265° F/130° C with medium-firm pressure for 15 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45°/60° Composition: PU Microns/Mils: 110/4.3</p>	<p>EasyWeed® Adhesive </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 275° F/135° C with medium pressure for 5 seconds • Peel backing hot or cold. Apply top layer <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45°/60° Composition: PET Microns/Mils: 75/2.95</p>
<p>EasyPatterns™ </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Lycra®/spandex <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing hot or cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 80/3.1</p>	<p>EasyReflective™ </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Nylon (testing recommended) <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 15 seconds. • Peel warm (at least 15 seconds off the press) <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Can be machine dried on low but hanging item to dry will preserve reflective quality <p>Blade: 45°/60° Composition: PET Microns/Mils: 140/5.51</p>	<p>Metal </p> <p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45° Composition: PET Microns/Mils: 100/3.9</p>

Glitter	Holographic	Brick™ 600
<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <p style="color: red;">Do not layer Glitter on Glitter</p> <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 320° F/160° C with firm pressure for 10-15 seconds • Peel backing warm <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 325/12.8</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Sublimated polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 320° F/160° C with medium pressure for 15-20 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45°/60° Composition: Polyester/Metalized Foil Microns/Mils: 110/4.3</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Lycra®/spandex <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 311° F/155° C with medium-firm pressure for 5 seconds • Turn garment inside out and heat 15 seconds on adhesive side • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45°/60° Composition: PU Microns/Mils: 600/23.6</p>
ReflectAll™	ExtraReflex™	StripFlock®
<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Lycra®/spandex <p>How to Apply:</p> <ul style="list-style-type: none"> • Remove clear liner • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 5 seconds. Peel backing hot. • Recover and heat for 10 seconds <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry <p>Blade: 45°/60° Composition: PU Microns/Mils: 160/6.2</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <p>How to Apply:</p> <ul style="list-style-type: none"> • Product has a non-sticky, static backing • Remove pink liner • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 2 seconds • Peel cold, recover and heat for 10 seconds <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Hang item to dry to preserve reflectivity <p>Blade: 45°/60° Composition: PET Microns/Mils: 110/4.3</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Sublimated polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 320° F/160° C with firm pressure for 15-20 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>
VideoFlex® Glitter	Metallic	CADflex™
<p>Applies to:</p> <ul style="list-style-type: none"> • 100% polyester • Poly/cotton blends • Nylon • Leather <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PU Microns/Mils: 110/4.3</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • Leather • 100% polyester • Sublimated polyester <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium pressure for 10-15 seconds • Peel backing cold <p style="color: red; font-size: small;">Cracking and delamination may occur after washing. Results are not predictable</p> <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PET Microns/Mils: 100/3.9</p>	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <p>How to Apply:</p> <ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design at 305° F/150° C with medium-firm pressure for 15 seconds • Peel backing cold <p>Laundering:</p> <ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach or dry clean • Dry on normal setting <p>Blade: 45°/60° Composition: PVC Microns/Mils: 175/6.8</p>

Recommended Accessories:

Siser Weeder, parchment or multipurpose paper, or heat transfer cover sheet

* Due to variances in the manufacturing process of fabrics, Siser highly recommends testing prior to production.